HPH60IMB2, HPH90IMB2

Integrated Insert Rangehood

60cm and 90cm Black



HPH60IMB2



HPH90IMB2

Haier

HPH60IMB2

H 275mm W 520mm D 290mm

Weight (packaged) 10kg

Weight (product) 9kg

HPH90IMB2

H 275mm W 850mm D 290mm

Weight (packaged) 13kg

Weight (product) 12kg

FEATURES

- Wi-Fi enabled for easy control using the SmartHQ[™] app
- Easy to use touch controls
- With two (HPH60IMB2) or three (HPH90IMB2) dishwasher-safe filters
- Three fan speeds, plus a booster, for efficient extraction
- Pair this rangehood with a compatible Haier cooktop, and the rangehood will automatically adjust extraction rate based on the cooktop power level


ACCESSORIES

Optional: Recirculation Filter

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


Product Overview

PRODUCT DIMENSIONS



		mm
Α	Overall height	305
	Height without ducting adapter	275
В	Overall width	520
С	Overall depth	290

CAVITY DIMENSIONS




		mm
Α	Overall width of the cutout	500
В	Overall depth of the cutout	265

SERVICES	
Supply	220-240 V, 50 Hz
Service	10 A
Connection	Flex cord with plug

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


Product Overview

PRODUCT DIMENSIONS



		mm
Α	Overall height	305
	Height without ducting adapter	275
в	Overall width	850
С	Overall depth	290

CAVITY DIMENSIONS



		mm
Α	Overall width of the cutout	830
в	Overall depth of the cutout	265

SERVICES	
Supply	220-240 V, 50 Hz
Service	10 A
Connection	Flex cord with plug

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com