


HPH60IMB2, HPH90IMB2

# Integrated Insert Rangehood


60cm and 90cm, Black



Haier



HPH60IMB2



HPH90IMB2

## HPH60IMB2

---

H 275mm

W 520mm

D 290mm

Weight packaged

10kg

Weight product

9kg

## HPH90IMB2

---

H 275mm

W 850mm

D 290mm

Weight packaged

13kg

Weight product

12kg

## FEATURES

---

- Wi-Fi enabled for easy control using the SmartHQ™ app
- Easy to use touch controls
- With two (HPH60IMB2) or three (HPH90IMB2) dishwasher-safe filters
- Three fan speeds, plus a booster, for efficient extraction
- Pair this rangehood with a compatible Haier cooktop, and the rangehood will automatically adjust extraction rate based on the cooktop power level

## ACCESSORIES


---

- Optional: Recirculation Filter
- 

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](https://www.haier.com)


# Product Overview

## PRODUCT DIMENSIONS



		mm
<b>A</b>	Overall height	305
<b>B</b>	Overall width	520
	Height without ducting adapter	275
<b>C</b>	Overall depth	290

## CAVITY DIMENSIONS



		mm
<b>A</b>	Overall width of the cutout	500
<b>B</b>	Overall depth of the cutout	265


## SERVICES

- Supply 220-240 V, 50 Hz
- Service 10 A
- Connection Flex cord with plug

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](http://haier.com)


# Product Overview

## PRODUCT DIMENSIONS



		mm
<b>A</b>	Overall height	305
<b>B</b>	Overall width	850
	Height without ducting adapter	275
<b>C</b>	Overall depth	290

## CAVITY DIMENSIONS



		mm
<b>A</b>	Overall width of the cutout	830
<b>B</b>	Overall depth of the cutout	265

## SERVICES

- Supply 220-240 V, 50 Hz
- Service 10 A
- Connection Flex cord with plug

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website [haier.com](http://haier.com)